

.html

```

<div>
<table id="afterfixed">

  <tr><td><a href="#operation">          </a></td></tr>
  <tr><td><a href="#assessment">        가</a></td></tr>
  <tr><td><a href="#after">            </a></td></tr>
  <tr><td><a href="#media">            </a></td></tr>

</table>

<table class="afterindex">
  <tr>
    <td colspan="2">    </td>
  </tr>
  <tr>
    <td>1</td>
    <td width="70%"><a href="#operation">          </a></td>
  </tr>
  <tr>
    <td>2</td>
    <td><a href="#assessment">        가</a></td>
  </tr>
  <tr>
    <td>3</td>
    <td><a href="#after">            </a></td>
  </tr>
  <tr>
    <td>4</td>
    <td><a href="#media">            </a></td>
  </tr>
</table>
<br /><br />
<div id="operation">
  <h1>1.          </h1>
  <p></p>

</div>
<br /><br />
<div id="assessment">
<h1>2.        가</h1>
<p></p>
</div>
<br /><br />
<div id="after">
  <h1>3.      </h1>
<br /><br />

```

```
<font>
  0
<br />
  1
<br />
  2
<br />
  3</font>

<br /><br />
</div>
<div id="media">
  <h1>4.      </h1>
  <p></p>
  <p></p>
  <p></p>
  <p></p>
</div>
</div>
```

.html

```
<div>
<table id="afterfixed">

  <tr><td><a href="#operation">      </a></td></tr>
  <tr><td><a href="#assessment">      가</a></td></tr>
  <tr><td><a href="#after">      </a></td></tr>
  <tr><td><a href="#media">      </a></td></tr>

</table>

<table class="afterindex">
  <tr>
    <td colspan="2">      </td>
  </tr>
  <tr>
    <td>1</td>
    <td width="70%"><a href="#operation">      </a></td>
  </tr>
  <tr>
    <td>2</td>
    <td><a href="#assessment">      가</a></td>
```

```

</tr>
<tr>
  <td>3</td>
  <td><a href="#after">  </a></td>
</tr>
<tr>
  <td>4</td>
  <td><a href="#media">      </a></td>
</tr>
</table>
<br /><br />
<div id="operation">
  <h1>1.      </h1>
  <p></p>

</div>
<br /><br />
<div id="assessment">
<h1>2.      가</h1>
<p></p>
</div>
<br /><br />
<div id="after">
  <h1>3.      </h1>
<br /><br />
<font>
  0
<br />
  1
<br />
  2
<br />
  3</font>

<br /><br />
</div>
<div id="media">
  <h1>4.      </h1>
  <p></p>
  <p></p>
  <p></p>
  <p></p>
</div>
</div>

```

after.css

```
/* after */

#afterfixed{
    position: fixed;
    bottom: 40%;
    right: 5%;
    width: 100px;
/*     border: 1px; */
    text-align: center;
    text-decoration: none;
    background-color: white;

}

#afterfixed td{
border: 1px solid skyblue;
}

.afterindex {
    width: 400px;

}

.afterindex,.afterindex tr td{
    border: 1px solid skyblue;
}

.afterindex tr td:first-child{
    text-align: center;
}
```

From:  
<http://wiki.eclc.co.kr/> - **KELC\_WIKI**

Permanent link:  
<http://wiki.eclc.co.kr/doku.php?id=kelc:%EA%B5%90%EC%9C%A1%ED%9B%84%EA%B8%B0:wordpress>

Last update: **2019/08/23 08:23**

