

.html

```

<div>
<table id="afterfixed">

  <tr><td><a href="#operation">          </a></td></tr>
  <tr><td><a href="#assessment">      가</a></td></tr>
  <tr><td><a href="#after">          </a></td></tr>
  <tr><td><a href="#media">          </a></td></tr>

</table>

<table class="afterindex">
  <tr>
    <td colspan="2">    </td>
  </tr>
  <tr>
    <td>1</td>
    <td width="70%"><a href="#operation">          </a></td>
  </tr>
  <tr>
    <td>2</td>
    <td><a href="#assessment">      가</a></td>
  </tr>
  <tr>
    <td>3</td>
    <td><a href="#after">          </a></td>
  </tr>
  <tr>
    <td>4</td>
    <td><a href="#media">          </a></td>
  </tr>
</table>
<br /><br />
<div id="operation">
  <h1>1.          </h1>
  <p></p>

</div>
<br /><br />
<div id="assessment">
<h1>2.      가</h1>
<p></p>
</div>
<br /><br />
<div id="after">
  <h1>3.          </h1>
<br /><br />
<font>

```

```
0
<br />
1
<br />
2
<br />
3</font>

<br /><br />
</div>
<div id="media">
  <h1>4.      </h1>
  <p></p>
  <p></p>
  <p></p>
  <p></p>
</div>
</div>
```

after.css

```
/* after */

#afterfixed{
  position: fixed;
  bottom: 40%;
  right: 5%;
  width: 100px;
  /* border: 1px; */
  text-align: center;
  text-decoration: none;
  background-color: white;

}

#afterfixed td{
border: 1px solid skyblue;
}

.afterindex {
  width: 400px;
}

.afterindex,.afterindex tr td{
```

```
border: 1px solid skyblue;
}

.afterindex tr td:first-child{
text-align: center;
}
```

From:
<http://wiki.eclc.co.kr/> - KELC_WIKI

Permanent link:
<http://wiki.eclc.co.kr/doku.php?id=kelc:%EA%B5%90%EC%9C%A1%ED%9B%84%EA%B8%B0:wordpress&rev=1550636254>

Last update: 2019/02/20 04:17

